Unit: Month						Month:
					_	WOITHI
WK	WK:	WK :	WK	WK	MIN	
						CAB
					1	Haz-Mat Guide - DOT Emergency Response Guide (Latest Edition)*
					2	Reflective traffic safety vests - ANSI 207-2006, Class II (one for each riding position)*
					1	Maryland Medical Protocols (print or electronic but not pocket protocol book)*
						Blue ALS Airway Bag
						Front pouch
					1	Melker cricothyrotomy catheter set*
					1	Endotracheal tube introducer (Bougie)*
						#10 Protected disposable scalpel*
					1	King Airway Monitor with spare batteries*
					1	King Airway Blade - channeled 18mm*
					1	King Airway Blade - un-channeled 13mm*
						King LTSD Airway - size 3, 4, 5*
						Middle Compartment
					1	Portable suction unit - battery powered capable of operating for 20 min.*
					1	Charging cord
					1	Tubing with Yankauer type wand*
					1	10 fr suction catheter (one size between 6 & 12)*
					1	14 fr suction catheter (one size between 12 & 16)*
					1	Bottle of sterile water (500 mL)*
					-	Gastric tubes - 8F and various sizes 10F-16F*
					1	Tapered tip lavage syringe (30cc minimum)*
					1	In-line nebulizer set-up kit*
					•	Rear Pouch
					1	Blue Airway Pouch
						Miller blades 0, 1, 2, 3, 4*
						Mac blades 1, 2, 3, 4*
					1	Adult laryngoscope handle w/ spare batteries*
					1	Pediatric laryngoscope handle w/ spare batteries*
					2	10 cc syringe*
					1	Meconium aspirator*
						Cuffed ET tubes (6, 6.5, 7, 7.5, 8)*
						Uncuffed ET tubes (2.5 - 5.5)*
						Endotracheal tube holder - adult*
						Endotracheal tube holder - pediatric*
					1	Endotracheal tube introducer (bougie)*
					2	Stylet - adult*
					2	Stylet - pediatric*
						Endotrol tracheal tube (6, 7, 8)*
					3	BAAM*
					1	Lidocaine / Xylocaine 4% topical (8ml)*
					2 Rolls	1" medical tape*
					1	Magill forceps - large*
					1	Magill forceps - small*
					6pk	Surgical lubricants (1 tube or 6 packs, water soluble)*
					1	EtCO2 filter line*
					1	Duo Dote Kits; each sealed kit contains the following:
					20	DuoDotes*

2	Triage kits (fanny packs)
	Triage ribbons on ring (red, yellow, green, black)
	Triage tags*
	Pens or pencils
	Nasophyaryngeal airways (18F-34F)*
1 501	Oropharyngeal airways (161 - 341)  Oropharyngeal airways (newborn - large adult; 1 set is 6 sizes)*
4	Cravats (triangular bandage)*
	8 X 10 pads
	Gloves
3 pairs	Trauma scissors
2	
	Grease pencils Infection Control Kit
	Surgical masks*
2	
	Eye/facial shield (may be combined with surgical mask)*  Particulate respirator NOS or greater for each grown member*
	Particulate respirator N95 or greater for each crew member*
1	Disinfectant defined by OSHA effective against (but not limited to) HBV, HIV, TB*
2	Gowns (impenetrable to blood and/or body fluids)*
	Oxygen Duffle Bag  Destable everyon bettle (et leget 200 poi\*
1	Portable oxygen bottle (at least 300 psi)*
2	Adult nasal cannula*
2	Adult non-rebreather mask*
2	Pediatric nasal cannula*
2	Pediatric non-rebreather mask*
	Nasal airways (18fr/4.0mm) to (36fr/8.0mm) (1 set is 6 sizes)*
	Oral airways (0,1,2,3,4,5) (1 set is 6 sizes)*
	Water-soluble lubricant*
1	Bite stick (tongue depressor)*
1 1	Pulse oximeter (adult and pediatric sensor - disposable is acceptable)*
1 1	Adult bag-valve with #5 cuffed face mask (single use)*
1 1	Pediatric bag-valve with #2 cuffed face mask (single use)*
1 1	Infant bag-valve with #0 cuffed face mask (single use only)*
1 1	Stethoscope (must be pediatric capable)*
1 1	OB kit (commercially packaged) *
1 1	Adult BP cuff (regular)*
1 1	Adult BP cuff (large)*
1 1	Child BP cuff*
1 1	Infant BP cuff*
	Cold packs*
1 1	Activated Charcoal -100g (may be in [2]50g containers)*
	Oral glucose*
1 1	Epinephrine auto-injectors, adult or equivalent*
1 1	Epinephrine auto-injectors, pediatric or equivalent*
1 1	Aspirin (1 bottle of 325mg tabs)*
4	Acetaminophen (160mg/5mL single dose cups)*
2	Naloxone (pre-filled syringe 2mg/2mL)*
	Extrication Bag
	2" tape
2	3" kling
	6" kling
	4" x 4"s
4	Cravats (triangular bandages)*
	Adult adjustable extrication collars
2	Pediatric adjustable extrication collars
1	Head immobilization device (blocks or blanket roll)
	Spider straps*
2	Towels, sheets or padding
1	Blanket
1 pair	Trauma scissors
	Eye protection
1	Ring cutter Center punch

		CPAP Bag
	1	CPAP unit and all manufacturer specific supplies*
	1	Oxygen cylinder (can be in separate compartment)
	2	Complete circuit w/ medium mask*
		CPAP masks (large and small)*
	1	In-line nebulizer setup*
		Red ALS Bag
		Outside
	1	Portable environmental CO alarming device*
		Left Side Pocket
	1	Sharps container*
		Front Pocket
	1	Needle decompression thoracostomy kit*
	1	Commercially available tourniquet*
	4	Cravats*
		3" Kling or equivalent*
		6" Kling or equivalent*
		Multi-trauma dressing (minimum of 10"x 12")*
		4" x 4"s*
		2" tape*
		Trauma scissors*
	1	Pen light (narrow beam flashlight acceptable)*
		Gloves, varied sizes
	2 pairs	Eye protection
		Center Compartment
	1	Stethoscope (Must be pediatric capable)*
	1	Lactated Ringers 1000cc*
	1	Macro administration drip set (10-20gtt/mL)*
		Micro administration drip set (60gtt/mL)*
	1	Nebulizer*
	1	Pediatric tape (Broslow style) or pediatric wheel
	1	Dextrose 50% (50g total)*
	4	
	1	Dextrose 25%
	2	Oral glucose*
		Epinephrine 1:10,000 - 1mg/10mL (6mg total)*
		Sodium BiCarb 50mEq*
		Calcium Chloride - 1g*
	1	Dopamine - 400 mg*
		Atropine (1mg/10mL, 3 mg total)*
	<u> </u>	Lidocaine 2% 100mg (300mg total)*
		Lidocaine 4% (8 mL total)*
		Magnesium Sulfate 4 g*
		Naloxone (4 mg total)*
	2	Atomizer *
	1	ICD donut magnet*
	1	Digital thermometer with disposable probes*
	1	Glucometer Precision H Test Meter and Test Strips (incl. lancets, test strips, alcohol wipes and band-aids)*
	I	Diltiazem Kit
	4	
	1	Diltiazem - 50mg*
	1	100cc diluent*
	1	60cc syringe*
		EZ IO Kit
	1	EZ IO Drill*
	1 Ea	EZ IO needles (15mm, 25mm & 45mm)*
	2	Extension sets with 3-way stopcock*
	1	10cc saline flush*
	1	Stabilizer
	1	Jamshidi needle - 18ga
	2	3" kling*
	1	1" medical tape*
	1	Lidocaine 2% - 100mg*
1 1 1	l l	Liuocanie 2 /o - Tuoniy

		Medications Module
		Adenosine (30mg total)*
		Albuterol (20mg total)*
		Aspirin (1 bottle of 325mg tabs)*
		Atropine, Multi-dose (8mg/20cc total)*
		Atrovent (1000mcg total)*
		Diphenhydramine (Benadryl) - 50mg total*
		Dexamethasone - 20mg*
		Epinephrine (1:1,000) 1mg/1mL (3mg total)*
		Glucagon with dilutent (3mg total)*
		Haldol 5mg (10mg total)*
		Magnesium Sulfate 4 g*
	1 bottle	Nitroglycerin tablets*
		NTG past with applicators (1 gram total)*
		Ondansetron (Zofran) (8mg total)*
		Terbutaline (1mg total)*
		Rear Pocket
		IV Module - Inside Rear Pouch
		1cc syringe*
		3-5 cc syringe*
		10 cc syringe*
		18 or 19g blunt-tip filter needle*
	2	21g needles (1 1/2 inches appropriate for IM injection)*
		IV catheters (14, 16, 18, 20, 22, 24)*
		IV site preparation kit or;
		Site preparation kit of, Site prep cleanser, Tegaderm op site, restricting band, 2"x2" Gauze pad
		Pre-filled saline syringe - 10cc*
		Saline lock extension set*
		Saline lock extension set with 3 -way stop cock*
		Sets of blood tubes (varies by hospital)* Sets of anticoagulant blood tubes (varies by hospital)*
		Vacutainer with integrated or individually packaged needle*
		Huber-type non-coring needle*
		Twin-cath 18 or 20 gauge catheter Pediatric IV arm board*
	I	Adult IV arm board * required by MIEMSS
		Right Side Pocket
		Narcotics sealed box
		Midazolam (20mg total)*
		Morphine (40mg total)*
		Cardiac Monitor
		Life Pak 15:*
	1	EKG modem*
	1	12 lead cables*
	1	Limb lead cable*
	30	Electrodes (adult and pediatric)*
	2	LP15 Adult pads - remote disposable - Physio Brand Only*
	2	LP15 Pediatric pads -pink stripe on front - Physio Brand Only*
	1	EtCO2 cannula - adult*
	1	EtCO2 cannula - pediatric*
	1	EtCO2 Filter line*
	1	Razor (battery preferred, with heads)*
	1	Roll spare EKG paper*
		Spare LP15 battery*
		ePCR cable
		Benzoin tincture swabs
	1 Ea	B/P cuffs - infant, child, small adult, adult, large adult
Δdo	litions a	and corrections should be directed to Lt. Jamie Baltrotsky.